

Outbreak Conditions Approved for Surveillance/Outbreak Response Activities Associated with Disease Response, Evaluation, Analysis and Monitoring/Healthcare Associated Infections (DREAM/HAI) Contracts

Confirmed or Suspected Etiology

Acute flaccid myelitis (AFM) Adverse event resulting from smallpox vaccination (Vaccinia virus) Anaplasmosis (Anaplasma phagocytophilum) Anthrax (Bacillus anthracis) or anthrax-like illness caused by Bacillus cereus strains that express anthrax toxin genes Any outbreak of gastrointestinal illness regardless of etiology Arbovirus infection, including Chikungunya, West Nile, and Zika virus Babesiosis (Babesia) Botulism (Clostridium botulinum) Botulism, infant (Clostridium botulinum) Brucellosis (Brucella species) Campylobacteriosis (Campylobacter) Chagas disease Chickenpox (Varicella-zoster virus) Cholera (Vibrio cholerae) Coccidioidomycosis (Coccidioides) Colorado tick fever Cryptosporidiosis (Cryptosporidium) Cyclosporiasis (Cyclospora cayetanensis) Dengue fever Diphtheria (Corynebacterium diphtheriae) Ehrlichiosis (*Ehrlichia*) Encephalitis or meningitis (bacterial, fungal, parasitic, protozoan and viral) Giardiasis (Giardia lamblia)

Confirmed or Suspected Etiology

Haemophilus influenzae, invasive disease Hantavirus infection (Sin Nombre virus) Hemolytic uremic syndrome, post-diarrheal Hepatitis A Hepatitis, viral, including hepatitis B (acute, chronic and perinatal), C (acute, chronic and perinatal), D, and E Influenza infection, non-seasonal strain Influenza-associated death in a person less than 18 years of age Influenza-associated hospitalization Legionellosis (Legionella) Leprosy (Hansen's Disease) Leptospirosis (*Leptospira*) Listerosis (Listeria monocytogenes) Lyme disease (Borrelia burgdorferi) Malaria (*Plasmodium*) Measles (Rubeola virus) Meningococcal disease (Neisseria meningitidis) Middle East Respiratory Syndrome (MERS) Mumps Nororvirus Pertussis (Bordetella pertussis) Plague (Yersinia pestis) Poliomyelitis, paralytic and non-paralytic Psittacosis (Chlamydophila psittaci) Q fever (Coxiella burnetii) Rabies (human and animal) Relapsing fever, tick-borne and louse-borne (Borrelia) Rubella (excluding congenital syndrome) Rubella, including congenital syndrome Salmonellosis (Salmonella) Severe acute respiratory syndrome (SARS) Shiga toxin-producing Escherichia coli (STEC) infection Shigellosis (Shigella) Smallpox (Variola virus)

Confirmed or Suspected Etiology

Spotted fever rickettsioses, including Rocky Mountain spotted fever (*Rickettsia*) Streptococcal disease, invasive, due to *Streptococcus pneumoniae*1 and Groups A and B Tetanus (*Clostridium tetani*) Toxic shock syndrome, staphylococcal or streptococcal Transmissible spongiform encephalopathies (prion diseases), including Creutzfeldt-Jakob disease Trichinellosis (*Trichinella*) Tularemia (*Francisella tularensis*) Typhoid, cases and carriers Vibriosis (*Vibrio*), including Cholera Viral hemorrhagic fevers, including *Ebola, Lassa, Marburg, and Nipah* virus-related illnesses